## I Claim:

3

1 1. A method for availing participants in a special number call event of information 2 contained in a plurality of data stores; the method comprising the steps of: 3 (a) in no particular order: 4 (1) providing said plurality of data stores; 5 (2) providing at least one respective data key for accessing said 6 information contained in each respective data store of said plurality of data 7 stores; and 8 (3) providing communications among said participants and said plurality 9 of data stores; 10 (b) identifying a respective call as initiating a special number call event; 11 (c) generating an identifier code for uniquely identifying said special number call 12 event; said identifier code including relational data; said relational data being 13 configured for mapping on said at least one said respective data key to effect 14 accessing said information; and 15 (d) employing said communications to effect cooperation by said identifier code 16 with each said respective data store for providing said information to said 17 participants. 1 2. A method for availing participants in a special number call event of information 2 contained in a plurality of data stores as recited in Claim 1 wherein selected said 3 information availed by said participants during said call event is stored in association 4 with said identifier code. 1 3. A method for availing participants in a special number call event of information 2 contained in a plurality of data stores as recited in Claim 1 wherein said identifier

code includes an indicator relating to a caller initiating said call event.

- 1 4. A method for availing participants in a special number call event of information
- 2 contained in a plurality of data stores as recited in Claim 1 wherein said providing a
- 3 plurality of data stores is effected in a subscription arrangement.
- 1 5. A method for availing participants in a special number call event of information
- 2 contained in a plurality of data stores as recited in Claim 2 wherein said identifier
- 3 code includes an indicator relating to a caller initiating said call event.
- 6. A method for availing participants in a special number call event of information
- 2 contained in a plurality of data stores as recited in Claim 2 wherein said providing a
- plurality of data stores is effected in a subscription arrangement.
- 7. A method for availing participants in a special number call event of information
- 2 contained in a plurality of data stores as recited in Claim 6 wherein said identifier
- 3 code includes an indicator relating to a caller initiating said call event.
- 8. A method for availing participants in a special number call event of information
- contained in a plurality of data stores as recited in Claim 1 wherein said special
- 3 number call is an emergency service call.
- 9. A method for availing participants in a special number call event of information
- 2 contained in a plurality of data stores as recited in Claim 2 wherein said special
- 3 number call is an emergency service call.
- 1 10. A method for availing participants in a special number call event of information
- 2 contained in a plurality of data stores as recited in Claim 3 wherein said special
- 3 number call is an emergency service call.

1

11. A method for availing participants in a special number call event of information

2	contained in a plurality of data stores as recited in Claim 4 wherein said special
3	number call is an emergency service call.
1	12. A method for providing information to participants in an emergency service call
2	event; the method comprising the steps of:
3	(a) in no particular order:
4	(1) providing a plurality of data stores;
5	(2) providing at least one respective data key for accessing said
6	information contained in each respective data store of said plurality of data
7	stores; and
8	(2) providing communications among said participants and said plurality
9	of data stores;
10	(b) identifying a respective call as initiating an emergency service call event;
11	(c) generating an identifier code for uniquely identifying said emergency service
12	call event; said identifier code including relational data; said relational data being
13	configured for mapping on said at least one respective data key for effecting
14	access to said information from each said respective data store; and
15	(d) employing said communications to effect cooperation by said identifier code
16	with said plurality of data stores for providing said information to said
17	participants.
1	13. A method for providing information to participants in an emergency service call event
2	as recited in Claim 12 wherein selected said information availed by said participants
3	during said call event is stored in association with said identifier code.
1	14. A method for providing information to participants in an emergency service call event
2	as recited in Claim 12 wherein said identifier code includes an indicator relating to a
3	caller initiating said call event.

13

14

1 15. A method for providing information to participants in an emergency service call event 2 as recited in Claim 12 wherein said providing said plurality of data stores is effected 3 in a subscription arrangement. 16. A method for providing information to participants in an emergency service call event 1 2 as recited in Claim 13 wherein said identifier code includes an indicator relating to a 3 caller initiating said call event. 17. A method for providing information to participants in an emergency service call event 1 2 as recited in Claim 13 wherein said providing said plurality of data stores is effected 3 in a subscription arrangement. 18. A method for providing information to participants in an emergency service call event 1 2 as recited in Claim 15 wherein said identifier code includes an indicator relating to a 3 caller initiating said call event. 19. A system for availing participants in a special number call event of information 1 2 contained in a plurality of data stores; each respective data store of said plurality of data stores having a respective data key for accessing said information contained in 3 4 said respective data store; the system comprising: 5 (a) a special number call handling facility; (b) at least one communication network communicatingly coupling said 6 participants, said plurality of data stores and said special number call handling 7 facility; and 8 9 (c) an identifying unit coupled with at least one of said special number call handling facility and said at least one communication network; 10 said identifying unit identifying a respective call as initiating a special number call 11 12 event; said identifying unit generating an identifier code for uniquely identifying said special number call event; said identifier code including relational data; said relational

data being configured for mapping on at least one said respective data key to effect

- DDM03-032 34 15 accessing said information; said special number call handling facility employing said 16 at least one communication network for providing said information to said 17 participants. 20. A system for availing participants in a special number call event of information 1 2 contained in a plurality of data stores as recited in Claim 19 wherein selected said 3 information availed by said participants during said call event is stored in association 4 with said identifier code. 1 21. A system for availing participants in a special number call event of information 2 contained in a plurality of data stores as recited in Claim 19 wherein said identifier 3 code includes an indicator relating to a caller initiating said call event. 1 22. A system for availing participants in a special number call event of information 2 contained in a plurality of data stores as recited in Claim 19 wherein said plurality of 3 data stores are qualified for participation with the system in a subscription 4 arrangement. 1 23. A system for availing participants in a special number call event of information 2 contained in a plurality of data stores as recited in Claim 20 wherein said indicator
- 3 code includes an indicator relating to a caller initiating said call event.
- 1 24. A system for availing participants in a special number call event of information 2 contained in a plurality of data stores as recited in Claim 20 wherein said plurality of 3 data stores are qualified for participation with the system in a subscription 4 arrangement.
- 1 25. A system for availing participants in a special number call event of information 2 contained in a plurality of data stores as recited in Claim 22 wherein said identifier 3 code includes an indicator relating to a caller initiating said call event.

- 1 26. A system for availing participants in a special number call event of information contained in a
- 2 plurality of data stores as recited in Claim 23 wherein said special number call event is an
- 3 emergency service call event.
- 1 27. A system for availing participants in a special number call event of information contained in a
- 2 plurality of data stores as recited in Claim 25 wherein said special number call event is an
- 3 emergency service call event.